## Email settings for an Email Client (Outlook, Eudora, MAC mail etc.):

Incoming mail server: mail.yourdomain.com

Outgoing mail server: contact your ISP (Internet Service Provider) and ask for your SMTP server (often mail.isp.com or smtp.isp.com). Also ask if it will require authentication. Most likely you have a base email address included with your internet service and you can use this email username and password for authentication.

Incoming mail port: 110 for POP3, 143 for IMAP Outgoing mail port: 25 (If 25 does not work, try 26, as some ISPs block port 25)

Username is the same one as you use for webmail (the full email address). (If entering "username@yourdomainname" does not work, try "username+yourdomainname")

# Setting up Email Account with Outlook 2003

Before starting:

- 1. Make sure your domain name loads. If it doesn't load your your email account wont work.
- 2. Make sure you have setup your email accounts at yourdomain.com/cpanel .

You are now ready to begin setting up your email accounts.

- 1. Open Outlook 2003
- 2. Select Tools > E-mail Accounts.

🔘 Inbox - Microsoft Ou	utlool	ć				
Eile Edit View Go	Tools	Actions Help		Т	ype a question for	help 👻
		Find	•	d/Re <u>c</u> eive 👻		
🧐 🚱 Back 🕲   🗖	Ð	Address <u>B</u> ook Ctrl+Shift+B		•	= 🖉 🍕 🖕	
Mail	<b>*</b>	Organi <u>z</u> e				
Favorite Folders	۵	Empty "Deleted Items" Folder		Subject	Received	P 🛆
🔄 Inbox		E-mail <u>A</u> ccounts		no items to sho	ow in this view.	
Q Unread Mail		Customize				
Sent Items		Options				
All Mail Folders		*				
🖃 🧐 Personal Folders		^				
Deleted Items		=				
Junk E-mail		-				
UIDOX						
📄 Mail						
	2	🕻 🔁 🚬				*
0 Items		S	end	Receive Status	50% 🔥 🔹	1.4

3. On the E-mail Accounts wizard window, select "Add a new e-mail account" and click Next.



4. For your server type, select "POP3" and click Next.

E-mail Accounts	×
Server Type You can choose the type of server your new e-mail account will work with.	ž
<ul> <li>Microsoft Exchange Server</li> <li>Connect to an Exchange server to read e-mail, access public folders, and share documents.</li> <li>POP3</li> <li>Connect to a POP3 e-mail server to download your e-mail.</li> <li>IMAP</li> <li>Connect to an IMAP e-mail server to download e-mail and synchronize mailbox folders.</li> <li>HTTP</li> <li>Connect to an HTTP e-mail server such as Hotmail to download e-mail and synchronize mailbox folders.</li> <li>Additional Server Types</li> <li>Connect to another workgroup or 3rd-party mail server.</li> </ul>	
< <u>B</u> ack <u>N</u> ext >	Cancel

5. On the Internet E-mail Settings (POP3) window, enter your information as follows: Your Name

Enter your first and last name.

#### **E-mail Address**

Enter your e-mail address.

#### **User Name**

Enter your e-mail address, again

#### Password

Enter the password you set up for your e-mail account.

### Incoming Mail Server (POP3)

Enter mail.yoursite.com for your incoming mail server.

### Outgoing Mail Server (SMTP)

Enter the information provided by your ISP for your outgoing mail server.

E-mail Accounts	5		
Internet E-ma Each of the	ail Settings (POP3) se settings are required to g	get your e-mail account working.	NY-
User Informati	ion	Server Information	
Your Name:	Your Name	Incoming mail server (POP3):	mail.yoursite.com
E-mail Address:	you@yoursite.com	Outgoing mail server (SMTP):	mail.yoursite.com
Logon Informa	tion	Test Settings	on this screen, we
Password:	you@yoursite.com	recommend you test your acco button below. (Requires netwo	unt by clicking the rk connection)
	Remember password	Test Account Settings	
Log on using S Authentication	Secure Password n (SPA)		More Settings
		< <u>B</u> ack	Next > Cancel

6. On the Internet E-mail Settings window, select the "Outgoing Server" tab.

7. <u>Select "My outgoing server (SMTP) requires authentication."</u> if required by your ISP.

General	Outgoing Server	Connectio	n Advanced		_		
<b>∨</b> Му	outgoing server (SI	MTP) requir	es authenticati	on			
ΘĿ	<u>I</u> se same settings a	s my incomi	ng mail server				
OL	og on using						
L	Jser <u>N</u> ame:						
Ē	Password:						
г	Les es uriss Sec	Rememb	er password				
	Log on using <u>p</u> ec	ure Passwu	, a Autrienticat	IOTT (SPA)			
OL	og on to incoming n	nail server t	efore sending	mail			
				·			
			ок	Cance			
ect the	e " <b>Advanced</b> " ta	ab and ch	ок ange the " <b>O</b>	Cance	erver	( <b>SMTP</b> )" p	ort to <b>2</b>
lect the	e "Advanced" ta	ab and ch	ок ange the " <b>O</b>	Cance	erver	( <b>SMTP)</b> " p	ort to <b>2</b>
ect the <mark>ternet</mark>	e "Advanced" ta E-mail Setting	ab and ch	OK ange the " <b>O</b>	Cance	erver	( <b>SMTP</b> )" p	ort to <b>2</b>
lect the ternet General	e "Advanced" ta E-mail Setting Outgoing Server	ab and ch s Connectio	OK ange the "O n Advanced	Cance	erver	( <b>SMTP)</b> " p	ort to <b>2</b>
lect the ternet General Server	e " <b>Advanced</b> " ta E-mail Settings Outgoing Server Port Numbers —	ab and ch s Connectio	OK ange the " <b>O</b> n Advanced	Cance	erver	( <b>SMTP)</b> " p	ort to <b>2</b>
lect the ternet General Server Incor	e " <b>Advanced</b> " ta E-mail Settings Outgoing Server Port Numbers — ming server (POP3)	ab and ch s Connection : 110	OK ange the "O n Advanced Use	Cance utgoing s	erver	( <b>SMTP)</b> " p	ort to <b>2</b>
lect the ternet General Server Incor	e " <b>Advanced</b> " ta E-mail Settings Outgoing Server Port Numbers ming server (POP3) This server requi	ab and ch s Connection : 110 res an encr	OK ange the "O n Advanced Use ypted connecti	Cance utgoing s	erver	( <b>SMTP)</b> " p	ort to 2
lect the ternet General Server Incor	e " <b>Advanced</b> " ta E-mail Settings Outgoing Server Port Numbers — ming server (POP3) This server requi ioing server (SMTP)	ab and ch connection : 110 res an encr : 25	OK ange the "O n Advanced Use ypted connecti	Cance utgoing s	erver	( <b>SMTP</b> )" p	ort to <b>2</b>
ect the ternet General Server Incor	e "Advanced" ta E-mail Setting Outgoing Server Port Numbers — ming server (POP3) This server requi oing server (SMTP) This server requi	ab and ch s Connection : 110 res an encr : 25 res an encr	OK ange the "O n Advanced Use ypted connecti	Cance utgoing s Defaults on (SSL)	erver	( <b>SMTP)</b> " p	ort to 2
ect the ternet General Server Incor Qutg Server	e "Advanced" ta E-mail Settings Outgoing Server Port Numbers — ming server (POP3) This server requi toing server (SMTP) This server requi This server requi	ab and ch s Connection : 110 res an encr : 25 res an engr	OK ange the "O ange the the the the the the the the the th	Cance utgoing s Defaults on (SSL)	erver	( <b>SMTP)</b> " p	ort to <b>2</b>
ect the ternet General Server Incor Qutg Server Shor	e "Advanced" ta E-mail Settings Outgoing Server Port Numbers — ming server (POP3) This server requi ioing server (SMTP) This server requi timeouts — t	ab and ch s Connection : 110 res an encr : 25 res an engr Long	OK ange the "O ange the the "O ange the the the the the the the the the th	Cance utgoing s	erver	( <b>SMTP</b> )" p	ort to 2
ect the ternet General Server Incor Qutg Server Shor	e "Advanced" ta E-mail Setting Outgoing Server Port Numbers — ming server (POP3) This server requi oing server (SMTP) This server requi timeouts t	ab and ch s Connection : 110 res an engr : 25 res an engr Long	OK ange the "O ange the the the the the the the the the th	Cance utgoing s Defaults on (SSL)	erver	( <b>SMTP)</b> " p	ort to 2
ect the ternet General Server Incon Qutg Server Shor Deliver	e "Advanced" ta E-mail Settings Outgoing Server Port Numbers — ming server (POP3) This server requi toing server (SMTP) This server requi timeouts — t - y	ab and ch s Connection : 110 res an encr : 25 res an engr Long	OK ange the "O ange the server be server	Cance utgoing s Defaults on (SSL)	erver	( <b>SMTP)</b> " p	ort to <b>2</b>
lect the ternet General Server Incor Qutg Server Shor Deliver	e "Advanced" ta E-mail Setting Outgoing Server Port Numbers — ming server (POP3) This server requi toing server (SMTP) This server requi Timeouts — t — y — eave a copy of mes	ab and ch s Connection : 110 res an encr : 25 res an engr Long sages on th	OK ange the "O ange the the the the the the the the the th	Cance	erver	( <b>SMTP)</b> " p	ort to <b>2</b>
lect the ternet General Server Incor Qutg Server Shor Deliver	"Advanced" ta     E-mail Settings     Outgoing Server     Port Numbers     ming server (POP3)     This server requi ioing server (SMTP)     This server requi i timeouts     t     Timeouts     t     Q     Y eave a copy of mes     Remove from ser	ab and ch s Connection : 110 res an encr : 25 res an engr Long sages on the ver after	OK ange the "O ange the the the the the the the the the th	Cance utgoing s Defaults on (SSL)	erver	( <b>SMTP)</b> " p	ort to <b>2</b>
lect the ternet General Server Incor Qutg Server Shor Deliver	e "Advanced" ta E-mail Settings Outgoing Server Port Numbers ming server (POP3) This server requi toing server (SMTP) This server requi Timeouts t t weave a copy of mes Remove from ser	ab and ch s Connection : 110 res an encr : 25 res an engr Long sages on the rver after [ rver when d	OK ange the "O ange the "O ange the "O un Advanced Use ypted connection ypted connection 1 minute e server 10 2 days eleted from 'De	Cance utgoing s Defaults on (SSL) on (SSL)		( <b>SMTP)</b> " p	ort to <b>2</b>
lect the ternet General Server Incon Qutg Server Shor Deliver	e "Advanced" ta E-mail Settings Outgoing Server Port Numbers ing server (POP3) This server requi toing server (SMTP) This server requi timeouts t y eave a copy of mes Remove from ser	ab and ch s Connection : 110 res an encr : 25 res an engr Long sages on the rver after [ rver when d	OK ange the "O ange the "O ange the "O use Use ypted connection ypted connection 1 minute a server 10 \$ days eleted from 'De	Cance utgoing s Defaults on (SSL) on (SSL)	erver	( <b>SMTP)</b> " p	ort to <b>2</b>
lect the ternet General Server Incor Qutg Server Shor Deliver	e "Advanced" ta E-mail Setting Outgoing Server Port Numbers ming server (POP3) This server requi toing server (SMTP) This server requi Timeouts t t weave a copy of mes Remove from ser	ab and ch s Connection : 110 res an encr : 25 res an engr Cong sages on the rver after [ rver when d	OK ange the "O ange the "O ange the "O use Use ypted connection ypted connection ypted connection 1 minute e server 10 \$ days eleted from 'De	Cance utgoing s Upefaults on (SSL) on (SSL)		( <b>SMTP)</b> " p	ort to <b>2</b>
lect the ternet General Server Qutg Server Shor Deliver	e "Advanced" ta E-mail Settings Outgoing Server Port Numbers ing server (POP3) This server requi toing server (SMTP) This server requi timeouts t y eave a copy of mes Remove from ser	ab and ch s Connection : 110 res an encr : 25 res an engr Long sages on the rver after [ rver when d	OK ange the "O ange the the the the the the the the the th	Cance utgoing s Uefaults on (SSL) on (SSL)	erver	( <b>SMTP)</b> " p	ort to <b>2</b>
lect the ternet General Server Incor Qutg Server Shor Deliver	e "Advanced" ta E-mail Settings Outgoing Server Port Numbers ming server (POP3) This server requi toing server (SMTP) This server requi timeouts t t y eave a copy of mes Remove from ser Remove from ser	ab and ch s Connection : 110 res an engr : 25 res an engr Long sages on the ver after [ ver when d	OK ange the "O ange the "O ange the "O use (Use (Use)	Cance utgoing s  Defaults on (SSL) on (SSL) eleted Items'		( <b>SMTP)</b> " p	ort to <b>2</b>

## 9. Click Next.

Olick HEAL.			
E-mail Account	s		<b>X</b>
Internet E-ma Each of the	ail Settings (POP3) ese settings are required to g	get your e-mail account working.	ALC: NO ALC: N
User Informat	ion	Server Information	
Your Name:	Your Name	Incoming mail server (POP3):	mail.yoursite.com
<u>E</u> -mail Address:	you@yoursite.com	Outgoing mail server (SMTP):	mail.yoursite.com
Logon Informa	ation	Test Settings	
<u>U</u> ser Name:	you@yoursite.com	After filling out the information recommend you test your acco	on this screen, we ount by dicking the
Password:	*****	button below. (Requires netwo	ork connection)
	✓ <u>R</u> emember password	Test Account Settings	
Log on using Authenticatio	Secure Password n (SPA)		More Settings
		< <u>B</u> ack	Next > Cancel

## 10. Click Finish.



Tips:

If your e-mail client has trouble using a + sign in the login, you can use @, :, or % sign instead. If the username does not work on your first try, switch the username format to: "yourusername@yourdomain.ext
 Make sure your user name and password is all lowercase.

# Setting up Email Account with Outlook Express

Before starting:

- 1. Make sure your domain name loads. If it doesn't load your your email account wont work.
- 2. Make sure you have setup your email accounts at yourdomain.com/cpanel .

You are now ready to begin setting up your email accounts.

- 1. Open Outlook Express
- 2. Go to "Tools" and click on "Accounts"

Express		
Tools Message Help		
Send and Receive	• ×	
Synchronige All	Dele	Send/Recv Addresses
Address Book Otrl+Shift	в	
Agd Sender to Address Book	l Su	biect
Message <u>R</u> ules	+	
MSN Messenger Service Mg Online Status	Þ. Þ.	There are
Accounts		
New Account Signup Options	•	
	Express  Iools Message Help Send and Receive Synchronige All Address Book Onl+Shift+ Agd Sender to Address Book.  Message Bules MSN Messenger Service My Online Status  Accounts New Account Signup Options	Express  I cols Message Help Send and Receive Synchronige All Address Book Chrl+Shilt+B Agd Sender to Address Book.  Message Bules MSN Messenger Service Mg Britne Status  AccountSignup Bptons

3. A "Internet Accounts" window will pop up. Click on "Add", then click on "Mail".

All Mail New	s Directory Service		<u>Add</u> ►	<u>M</u> ail
Account	Туре	Connection	<u>R</u> emove	Directory Service.
Domain Names	mail (default)	Ary Available	Properties	
			Set as <u>D</u> efault	
			Import	
			Export	
			Siet Order	

4. This will start up Internet Connection Wizard. Enter your name where it says "**Display name:**" and click "**Next**" at the bottom right.



5. Enter your Email address in the input box. This does NOT have to be your <u>"username@yourdomain.com"</u>( you can use <u>"john@yourdomain.com</u>, <u>webmaster@yourdomain.com</u>, etc). Then click **Next**.

ernet Connection Wizard			
Internet E-mail Address			芯
Your e-mail address is th	address other people use to s	end e-mail messages to you	
I glready have an e-r	nail address that I'd like to use.		
E-mail address:			1
	For example: someone@mic	rosoft.com	
C I'd like to sign up for	a new account from: Hotmai	<u> </u>	I
	< <u>B</u> ack	. <u>N</u> ext > 0	Cancel

In the Incoming mail (POP3) field type mail.yourdomain.com (so if your domain name is elitepolls.com, then you would put "mail.elitepolls.com" there).
 In the Outgoing mail (SMTP) field enter the information provided by your ISP.

Click Next.

Weinersing and security at 100		
My incoming mail server is a JPU	JP3 server.	
Incoming mail (POP3, IMAP or HT	(TP) server:	
mail.yourdomain.com		
	······································	
An SMTP server is the server that Outcoing road (SMTP) server	t is used for your outgoing e-mail.	
An SMTP server is the server that Outgoing mail (SMTP) server: mail.yourdomain.com	t is used for your outgoing e-mail.	
An SMTP server is the server that Outgoing mail (SMTP) server: mail.yourdomain.com	t is used for your outgoing e-mail.	

7. Now type in your username that you have setup from cpanel using the following format: "yourusername@yourdomain.com"

.....

internet Mail Logon		T.
Type the account nar	ne and password your Internet service provider has given you.	
Account name:	email address	
Password:	password	-
If your Internet service p (SPA) to access your m Authentication (SPA)' cl	provider requires you to use Secure Password Authentication ail account, select the 'Log On Using Secure Password heck box.	
	e Password Authentication (SPA)	
Log on using <u>S</u> ecur		

8. Just click Finish and you're done!



Tips:

If your e-mail client has trouble using a + sign in the login, you can use @, :, or % sign instead. If the username does not work on your first try, switch the username format to: "yourusername@yourdomain.ext
 Make sure your user name and password is all lowercase.